

## 4-gallon Safety Cabinet for Acid & Corrosive

### Product Overview

Safety cabinets for corrosives have the same quality safety features as the cabinets for flammables. All models come with double-wall construction, dual vents, grounding wire connections, adjustable shelves, leakproof sills and leveling feet. Manual-close door(s) opens to a full 180 degrees and self-latches when pushed closed.

Additionally, Polypropylene trays are optional to use with galvanized steel shelves to resist aggressive chemicals. Easily remove the liner for quick cleaning of drips and leaks. An all epoxy baked-on powder-coat finish, inside and out, provides increased chemical resistance.


Safety Cabinets allow increased access to frequently used liquids, without compromising safety. Portable size keeps work areas flexible. Use optional wall hanger assembly for wall mounting. These cabinets have all the great features and benefits of our classic cabinets as outlined below.

Protect workers, reduce fire risks, and improve productivity by storing flammable fuels and chemicals in code-compliant safety cabinets. Designed to meet OSHA and NFPA standards. Safety cabinets are constructed of sturdy 18-gauge thick double-wall, welded steel with 1-1/2" (38-mm) of insulating air space for fire resistance. High-performance, manual-close doors open to a full 180 degrees and close easily and securely for maximum protection under fire conditions when pushed shut. Three-point stainless steel bullet latching system makes it work safely every time.

Dim-light-reflective warning labels are highly visible under fire conditions or during power outages when illuminated with a flashlight.

Galvanized steel shelves direct spills to back and bottom of a leakproof 2" (51-mm) bottom sump. They adjust on 2-3/8" (60-mm) centers for versatile storage. Cabinets also feature dual vents with flame arresters, four adjustable self-leveling screws and trilingual warning label. Durable lead-free epoxy/polyester powder-coat finish provides excellent chemical resistance.

All cabinets come with a two-year warranty against manufacturing defects.



TEK610004B

### Attributes & Specifications

ATTRIBUTE	SPECIFICATION
Model No. and Color Options:	TEK610004B
<b>Material Specifications:</b>	18 Ga CR Steel
<b>Capacity:</b>	4 gallon(s) 15 liter(s)
<b>No. of Doors:</b>	1
<b>Door Type:</b>	Manual
<b>No. of Shelves:</b>	1
<b>Adjustable Shelves:</b>	Yes
<b>Dimensions, Exterior:</b>	17" W x 22" H x 17" D 430 W x 560 H x 430 D (mm)
<b>Dimensions, Interior:</b>	13.75" W x 18.5" H x 13.75" D 348 W x 470 H x 348 D (mm)
<b>Compliance:</b>	OSHA 29 CFR 1910.106 & NFPA

### Safety Cabinet has important functions!

1. to store chemical safely and reduce fire spreading or explosive factors
2. to ensure aid or rescuer time at fire occurrence
3. to make dangerous chemicals more recognizable, stored orderly, and properly-stored(isolation, separated or detached storage)
4. comply with OSHA 29 CFR 1910.106 of American Occupational Safety and Health Administration, NFPA CODE30 of American National Fire Protection Association and Hazardous Chemicals Control Ordinance of State Bureau of Safe Production Supervision and Administration, thus to provide safe storage of flammable liquid and chemicals
5. to improve the availability of chemicals in working place

# 12-gallon Safety Cabinet for Acid & Corrosive

## Product Overview

Safety cabinets for corrosives have the same quality safety features as the cabinets for flammables. All models come with double-wall construction, dual vents, grounding wire connections, adjustable shelves, leakproof sills and leveling feet. Manual-close door(s) opens to a full 180 degrees and self-latches when pushed closed.

Additionally, Polypropylene trays are optional to use with galvanized steel shelves to resist aggressive chemicals. Easily remove the liner for quick cleaning of drips and leaks. An all epoxy baked-on powder-coat finish, inside and out, provides increased chemical resistance.

Safety Cabinets allow increased access to frequently used liquids, without compromising safety. Portable size keeps work areas flexible. Use optional wall hanger assembly for wall mounting. These cabinets have all the great features and benefits of our classic cabinets as outlined below.

Protect workers, reduce fire risks, and improve productivity by storing flammable fuels and chemicals in code-compliant safety cabinets. Designed to meet OSHA and NFPA standards. Safety cabinets are constructed of sturdy 18-gauge thick double-wall, welded steel with 1-1/2" (38-mm) of insulating air space for fire resistance. High-performance, manual-close doors open to a full 180 degrees and close easily and securely for maximum protection under fire conditions when pushed shut. Three-point stainless steel bullet latching system makes it work safely every time.

Dim-light-reflective warning labels are highly visible under fire conditions or during power outages when illuminated with a flashlight.

Galvanized steel shelves direct spills to back and bottom of a leakproof 2" (51-mm) bottom sump. They adjust on 2-3/8" (60-mm) centers for versatile storage. Cabinets also feature dual vents with flame arresters, four adjustable self-leveling screws and trilingual warning label. Durable lead-free epoxy/polyester powder-coat finish provides excellent chemical resistance.

All cabinets come with a two-year warranty against manufacturing defects.

## Safety Cabinet has important functions!

1. to store chemical safely and reduce fire spreading or explosive factors
2. to ensure aid or rescuer time at fire occurrence
3. to make dangerous chemicals more recognizable, stored orderly, and properly-stored(isolation, separated or detached storage)
4. comply with OSHA 29 CFR 1910.106 of American Occupational Safety and Health Administration, NFPA CODE30 of American National Fire Protection Association and Hazardous Chemicals Control Ordinance of State Bureau of Safe Production Supervision and Administration, thus to provide safe storage of flammable liquid and chemicals
5. to improve the availability of chemicals in working place



TEK610012B

## Attributes & Specifications

ATTRIBUTE	SPECIFICATION
Model No. and Color Options:	TEK610012B
Material Specifications:	18 Ga CR Steel
Capacity:	12 gallon(s) 45 liter(s)
No. of Doors:	1
Door Type:	Manual
No. of Shelves:	1
Adjustable Shelves:	Yes
Dimensions, Exterior:	23.25" W x 35" H x 18" D 590 W x 890 H x 460 D (mm)
Dimensions, Interior:	20.00" W x 30.5" H x 14.56" D 508W x 775 H x 370 D (mm)
Compliance:	OSHA 29 CFR 1910.106 & NFPA

## 22-gallon Safety Cabinet for Acid & Corrosive

### Product Overview

Safety cabinets for corrosives have the same quality safety features as the cabinets for flammables. All models come with double-wall construction, dual vents, grounding wire connections, adjustable shelves, leakproof sills and leveling feet. Manual-close door(s) opens to a full 180 degrees and self-latches when pushed closed.

Additionally, Polypropylene trays are optional to use with galvanized steel shelves to resist aggressive chemicals. Easily remove the liner for quick cleaning of drips and leaks. An all epoxy baked-on powder-coat finish, inside and out, provides increased chemical resistance.

Safety Cabinets allow increased access to frequently used liquids, without compromising safety. Use optional wall hanger assembly for wall mounting. These cabinets have all the great features and benefits of our classic cabinets as outlined below.

Protect workers, reduce fire risks, and improve productivity by storing flammable fuels and chemicals in code-compliant safety cabinets. Designed to meet OSHA and NFPA standards. Safety cabinets are constructed of sturdy 18-gauge thick double-wall, welded steel with 1-1/2" (38-mm) of insulating air space for fire resistance. High-performance, manual-close doors open to a full 180 degrees and close easily and securely for maximum protection under fire conditions when pushed shut. Three-point stainless steel bullet latching system makes it work safely every time.

Dim-light-reflective warning labels are highly visible under fire conditions or during power outages when illuminated with a flashlight.

Galvanized steel shelves direct spills to back and bottom of a leakproof 2" (51-mm) bottom sump. They adjust on 2-3/8" (60-mm) centers for versatile storage. Cabinets also feature dual vents with flame arresters, four adjustable self-leveling screws and trilingual warning label. Durable lead-free epoxy/polyester powder-coat finish provides excellent chemical resistance.

All cabinets come with a two-year warranty against manufacturing defects.



TEK610022B

### Attributes & Specifications

ATTRIBUTE	SPECIFICATION
Model No. and Color Options:	TEK610022B
Material Specifications:	18 Ga CR Steel
Capacity:	22 gallon(s) 83 liter(s)
No. of Doors:	1
Door Type:	Manual
No. of Shelves:	2
Adjustable Shelves:	Yes
Dimensions, Exterior:	23.25" W x 65" H x 18" D 590 W x 1650 H x 460 D (mm)
Dimensions, Interior:	20.00" W x 60.5" H x 14.56" D 508W x 1537 H x 370 D (mm)
Compliance:	OSHA 29 CFR 1910.106 & NFPA

### Safety Cabinet has important functions!

1. to store chemical safely and reduce fire spreading or explosive factors
2. to ensure aid or rescuer time at fire occurrence
3. to make dangerous chemicals more recognizable, stored orderly, and properly-stored(isolation, separated or detached storage)
4. comply with OSHA 29 CFR 1910.106 of American Occupational Safety and Health Administration, NFPA CODE30 of American National Fire Protection Association and Hazardous Chemicals Control Ordinance of State Bureau of Safe Production Supervision and Administration, thus to provide safe storage of flammable liquid and chemicals
5. to improve the availability of chemicals in working place

# 110-gallon Safety Cabinet for Acid & Corrosive

## Product Overview

Safety cabinets for corrosives have the same quality safety features as the cabinets for flammables. All models come with double-wall construction, dual vents, grounding wire connections, adjustable shelves, leakproof sills and leveling feet. Manual-close door(s) opens to a full 180 degrees and self-latches when pushed closed.

Additionally, Polypropylene trays are optional to use with galvanized steel shelves to resist aggressive chemicals. Easily remove the liner for quick cleaning of drips and leaks. An all epoxy baked-on powder-coat finish, inside and out, provides increased chemical resistance.

Safety Cabinets allow increased access to frequently used liquids, without compromising safety. Use optional wall hanger assembly for wall mounting. These cabinets have all the great features and benefits of our classic cabinets as outlined below.

Protect workers, reduce fire risks, and improve productivity by storing flammable fuels and chemicals in code-compliant safety cabinets. Designed to meet OSHA and NFPA standards. Safety cabinets are constructed of sturdy 18-gauge (1-mm) thick double-wall, welded steel with 1-1/2" (38-mm) of insulating air space for fire resistance. High-performance, manual-close doors open to a full 180 degrees and close easily and securely for maximum protection under fire conditions when pushed shut. Three-point stainless steel bullet latching system makes it work safely every time.

Dim-light-reflective warning labels are highly visible under fire conditions or during power outages when illuminated with a flashlight.

Galvanized steel shelves direct spills to back and bottom of a leakproof 2" (51-mm) bottom sump. They adjust on 2-3/8" (60-mm) centers for versatile storage. Cabinets also feature dual vents with flame arresters, four adjustable self-leveling screws and trilingual warning label. Durable lead-free epoxy/polyester powder-coat finish provides excellent chemical resistance.

All cabinets come with a two-year warranty against manufacturing defects.



## TEK610110B

### Attributes & Specifications

ATTRIBUTE	SPECIFICATION
Model No. and Color Options:	TEK610110B
Material Specifications:	18 Ga CR Steel
Capacity:	110 gallon(s) 410 liter(s)
No. of Doors:	2
Door Type:	Manual
No. of Shelves:	2
Adjustable Shelves:	Yes
Dimensions, Exterior:	59" W x 65" H x 33.5" D 1500 W x 1650 H x 860 D (mm)
Dimensions, Interior:	56" W x 60.5" H x 30.34" D 1420 W x 1537 H x 771 D (mm)
Compliance:	OSHA 29 CFR 1910.106 & NFPA

## Safety Cabinet has important functions!

1. to store chemical safely and reduce fire spreading or explosive factors
2. to ensure aid or rescuer time at fire occurrence
3. to make dangerous chemicals more recognizable, stored orderly, and properly-stored(isolation, separated or detached storage)
4. comply with OSHA 29 CFR 1910.106 of American Occupational Safety and Health Administration, NFPA CODE30 of American National Fire Protection Association and Hazardous Chemicals Control Ordinance of State Bureau of Safe Production Supervision and Administration, thus to provide safe storage of flammable liquid and chemicals
5. to improve the availability of chemicals in working place

## Product Overview

Safety cabinets for corrosives have the same quality safety features as the cabinets for flammables. All models come with double-wall construction, dual vents, grounding wire connections, adjustable shelves, leakproof sills and leveling feet. Manual-close door(s) opens to a full 180 degrees and self-latches when pushed closed.

Additionally, Polypropylene trays are optional to use with galvanized steel shelves to resist aggressive chemicals. Easily remove the liner for quick cleaning of drips and leaks. An all epoxy baked-on powder-coat finish, inside and out, provides increased chemical resistance.

Safety Cabinets allow increased access to frequently used liquids, without compromising safety. Use optional wall hanger assembly for wall mounting. These cabinets have all the great features and benefits of our classic cabinets as outlined below.

Protect workers, reduce fire risks, and improve productivity by storing flammable fuels and chemicals in code-compliant safety cabinets. Designed to meet OSHA and NFPA standards. Safety cabinets are constructed of sturdy 18-gauge (1-mm) thick double-wall, welded steel with 1-1/2" (38-mm) of insulating air space for fire resistance. High-performance, manual-close doors open to a full 180 degrees and close easily and securely for maximum protection under fire conditions when pushed shut. Three-point stainless steel bullet latching system makes it work safely every time.

Dim-light-reflective warning labels are highly visible under fire conditions or during power outages when illuminated with a flashlight.

Galvanized steel shelves direct spills to back and bottom of a leakproof 2" (51-mm) bottom sump. They adjust on 2-3/8" (60-mm) centers for versatile storage. Cabinets also feature dual vents with flame arresters, four adjustable self-leveling screws and trilingual warning label. Durable lead-free epoxy/polyester powder-coat finish provides excellent chemical resistance.

All cabinets come with a two-year warranty against manufacturing defects.

### Safety Cabinet has important functions!

1. to store chemical safely and reduce fire spreading or explosive factors
2. to ensure aid or rescuer time at fire occurrence
3. to make dangerous chemicals more recognizable, stored orderly, and properly-stored(isolation, separated or detached storage)
4. comply with OSHA 29 CFR 1910.106 of American Occupational Safety and Health Administration, NFPA CODE30 of American National Fire Protection Association and Hazardous Chemicals Control Ordinance of State Bureau of Safe Production Supervision and Administration, thus to provide safe storage of flammable liquid and chemicals
5. to improve the availability of chemicals in working place



## TEK610090B

### Attributes & Specifications

ATTRIBUTE	SPECIFICATION
Model No. and Color Options:	TEK610090B
Material Specifications:	18 Ga CR Steel
Capacity:	90 gallon(s) 340 liter(s)
No. of Doors:	2
Door Type:	Manual
No. of Shelves:	2
Adjustable Shelves:	Yes
Dimensions, Exterior:	43" W x 65" H x 33.5" D 1090 W x 1650 H x 860 D (mm)
Dimensions, Interior:	39" W x 60.5" H x 30.34" D 990 W x 1537 H x 771 D (mm)
Compliance:	OSHA 29 CFR 1910.106 & NFPA

## 60-gallon Safety Cabinet for Acid & Corrosive

### Product Overview

Safety cabinets for corrosives have the same quality safety features as the cabinets for flammables. All models come with double-wall construction, dual vents, grounding wire connections, adjustable shelves, leakproof sills and leveling feet. Manual-close door(s) opens to a full 180 degrees and self-latches when pushed closed.

Additionally, Polypropylene trays are optional to use with galvanized steel shelves to resist aggressive chemicals. Easily remove the liner for quick cleaning of drips and leaks. An all epoxy baked-on powder-coat finish, inside and out, provides increased chemical resistance.

Safety Cabinets allow increased access to frequently used liquids, without compromising safety. Use optional wall hanger assembly for wall mounting. These cabinets have all the great features and benefits of our classic cabinets as outlined below.

Protect workers, reduce fire risks, and improve productivity by storing flammable fuels and chemicals in code-compliant safety cabinets. Designed to meet OSHA and NFPA standards. Safety cabinets are constructed of sturdy 18-gauge (1-mm) thick double-wall, welded steel with 1-1/2" (38-mm) of insulating air space for fire resistance. High-performance, manual-close doors open to a full 180 degrees and close easily and securely for maximum protection under fire conditions when pushed shut. Three-point stainless steel bullet latching system makes it work safely every time.

Dim-light-reflective warning labels are highly visible under fire conditions or during power outages when illuminated with a flashlight.

Galvanized steel shelves direct spills to back and bottom of a leakproof 2" (51-mm) bottom sump. They adjust on 2-3/8" (60-mm) centers for versatile storage. Cabinets also feature dual vents with flame arresters, four adjustable self-leveling screws and trilingual warning label. Durable lead-free epoxy/polyester powder-coat finish provides excellent chemical resistance.

All cabinets come with a two-year warranty against manufacturing defects.

### Safety Cabinet has important functions!

1. to store chemical safely and reduce fire spreading or explosive factors
2. to ensure aid or rescuer time at fire occurrence
3. to make dangerous chemicals more recognizable, stored orderly, and properly-stored(isolation, separated or detached storage)
4. comply with OSHA 29 CFR 1910.106 of American Occupational Safety and Health Administration, NFPA CODE30 of American National Fire Protection Association and Hazardous Chemicals Control Ordinance of State Bureau of Safe Production Supervision and Administration, thus to provide safe storage of flammable liquid and chemicals
5. to improve the availability of chemicals in working place

## 90-gallon Safety Cabinet for Acid & Corrosive



TEK610060B

### Attributes & Specifications

ATTRIBUTE	SPECIFICATION
Model No. and Color Options:	TEK610060B
Material Specifications:	18 Ga CR Steel
Capacity:	60 gallon(s) 227 liter(s)
No. of Doors:	2
Door Type:	Manual
No. of Shelves:	2
Adjustable Shelves:	Yes
Dimensions, Exterior:	33.5" W x 65" H x 33.5" D 860 W x 1650 H x 860 D (mm)
Dimensions, Interior:	30.75" W x 60.5" H x 30.34" D 781 W x 1537 H x 771 D (mm)
Compliance:	OSHA 29 CFR 1910.106 & NFPA

# 45-gallon Safety Cabinet for Acid & Corrosive

## Product Overview

Safety cabinets for corrosives have the same quality safety features as the cabinets for flammables. All models come with double-wall construction, dual vents, grounding wire connections, adjustable shelves, leakproof sills and leveling feet. Manual-close door(s) opens to a full 180 degrees and self-latches when pushed closed.

Additionally, Polypropylene trays are optional to use with galvanized steel shelves to resist aggressive chemicals. Easily remove the liner for quick cleaning of drips and leaks. An all epoxy baked-on powder-coat finish, inside and out, provides increased chemical resistance.

Safety Cabinets allow increased access to frequently used liquids, without compromising safety. Use optional wall hanger assembly for wall mounting. These cabinets have all the great features and benefits of our classic cabinets as outlined below.

Protect workers, reduce fire risks, and improve productivity by storing flammable fuels and chemicals in code-compliant safety cabinets. Designed to meet OSHA and NFPA standards. Safety cabinets are constructed of sturdy 18-gauge thick double-wall, welded steel with 1-1/2" (38-mm) of insulating air space for fire resistance.

High-performance, manual-close doors open to a full 180 degrees and close easily and securely for maximum protection under fire conditions when pushed shut. Three-point stainless steel bullet latching system makes it work safely every time.

Dim-light-reflective warning labels are highly visible under fire conditions or during power outages when illuminated with a flashlight.

Galvanized steel shelves direct spills to back and bottom of a leakproof 2" (51-mm) bottom sump. They adjust on 2-3/8" (60-mm) centers for versatile storage. Cabinets also feature dual vents with flame arresters, four adjustable self-leveling screws and trilingual warning label. Durable lead-free epoxy/polyester powder-coat finish provides excellent chemical resistance.

All cabinets come with a two-year warranty against manufacturing defects.

## Safety Cabinet has important functions!

1. to store chemical safely and reduce fire spreading or explosive factors
2. to ensure aid or rescuer time at fire occurrence
3. to make dangerous chemicals more recognizable, stored orderly, and properly-stored(isolation, separated or detached storage)
4. comply with OSHA 29 CFR 1910.106 of American Occupational Safety and Health Administration, NFPA CODE30 of American National Fire Protection Association and Hazardous Chemicals Control Ordinance of State Bureau of Safe Production Supervision and Administration, thus to provide safe storage of flammable liquid and chemicals
5. to improve the availability of chemicals in working place



TEK610045B

## Attributes & Specifications

ATTRIBUTE	SPECIFICATION
Model No. and Color Options:	TEK610045B
Material Specifications:	18 Ga CR Steel
Capacity:	45 gallon(s) 170 liter(s)
No. of Doors:	2
Door Type:	Manual
No. of Shelves:	2
Adjustable Shelves:	Yes
Dimensions, Exterior:	43" W x 65" H x 18" D 1090 W x 1650 H x 460D (mm)
Dimensions, Interior:	39.5" W x 60.5" H x 14.562" D 1003 W x 1537 H x 370 D (mm)
Compliance:	OSHA 29 CFR 1910.106 & NFPA

# 30-gallon Safety Cabinet for Acid & Corrosive

## Product Overview

Safety cabinets for corrosives have the same quality safety features as the cabinets for flammables. All models come with double-wall construction, dual vents, grounding wire connections, adjustable shelves, leakproof sills and leveling feet. Manual-close door(s) opens to a full 180 degrees and self-latches when pushed closed.

Additionally, Polypropylene trays are optional to use with galvanized steel shelves to resist aggressive chemicals. Easily remove the liner for quick cleaning of drips and leaks. An all epoxy baked-on powder-coat finish, inside and out, provides increased chemical resistance.

Safety Cabinets allow increased access to frequently used liquids, without compromising safety. Use optional wall hanger assembly for wall mounting. These cabinets have all the great features and benefits of our classic cabinets as outlined below.

Protect workers, reduce fire risks, and improve productivity by storing flammable fuels and chemicals in code-compliant safety cabinets. Designed to meet OSHA and NFPA standards. Safety cabinets are constructed of sturdy 18-gauge thick double-wall, welded steel with 1-1/2" (38-mm) of insulating air space for fire resistance. High-performance, manual-close doors open to a full 180 degrees and close easily and securely for maximum protection under fire conditions when pushed shut. Three-point stainless steel bullet latching system makes it work safely every time.

Dim-light-reflective warning labels are highly visible under fire conditions or during power outages when illuminated with a flashlight.

Galvanized steel shelves direct spills to back and bottom of a leakproof 2" (51-mm) bottom sump. They adjust on 2-3/8" (60-mm) centers for versatile storage. Cabinets also feature dual vents with flame arresters, four adjustable self-leveling screws and trilingual warning label. Durable lead-free epoxy/polyester powder-coat finish provides excellent chemical resistance.

All cabinets come with a two-year warranty against manufacturing defects.

## Safety Cabinet has important functions!

1. to store chemical safely and reduce fire spreading or explosive factors
2. to ensure aid or rescuer time at fire occurrence
3. to make dangerous chemicals more recognizable, stored orderly, and properly-stored(isolation, separated or detached storage)
4. comply with OSHA 29 CFR 1910.106 of American Occupational Safety and Health Administration, NFPA CODE30 of American National Fire Protection Association and Hazardous Chemicals Control Ordinance of State Bureau of Safe Production Supervision and Administration, thus to provide safe storage of flammable liquid and chemicals
5. to improve the availability of chemicals in working place



TEK610030B

## Attributes & Specifications

ATTRIBUTE	SPECIFICATION
Model No. and Color Options:	TEK610030B
Material Specifications:	18 Ga CR Steel
Capacity:	30 gallon(s) 114 liter(s)
No. of Doors:	2
Door Type:	Manual
No. of Shelves:	1
Adjustable Shelves:	Yes
Dimensions, Exterior:	43" W x 44" H x 18" D 1090 W x 1120 H x 460 D (mm)
Dimensions, Interior:	39.5" W x 39.625" H x 14.562" D 1003 W x 1006 H x 370 D (mm)
Compliance:	OSHA 29 CFR 1910.106 & NFPA

## Standard Accessories



**Steel door hinge   Three-point linkage lock   Fire and explosion prevention vent   Adjustable shelf   Leakage proof sump   Anti-static clamp**

## Optional Accessories



**Self-closing**



**Fusible link**



**Double-keys lock**



**Electronic digital lock**



**Caster wheel**



**Drum roller**



**PP tray**



**MSDS box**