

# 12-gallon Safety Cabinet for Flammable Liquid and Chemicals

## Product Overview

Explosion proof, fire proof, industrial safe storage, chemicals storage.

Industrial safety cabinet is intended to store flammable liquid and some dangerous chemical material and products.

Industrial safety cabinets of different dimensions, which provide safe storage for flammable liquid and chemicals. It features compact size, storing easily flammable liquid and organic solvent, saving much troubles and time spent on the way to retrieve them in dangerous goods room.

Safety Cabinets allow increased access to frequently used liquids, without compromising safety. Portable size keeps work areas flexible. Use optional wall hanger assembly for wall mounting. These cabinets have all the great features and benefits of our classic cabinets as outlined below.

Protect workers, reduce fire risks, and improve productivity by storing flammable fuels and chemicals in code-compliant safety cabinets. Designed to meet OSHA and NFPA standards. Safety cabinets are constructed of sturdy 18-gauge thick double-wall, welded steel with 1-1/2" (38-mm) of insulating air space for fire resistance. High-performance, manual-close doors open to a full 180 degrees and close easily and securely for maximum protection under fire conditions when pushed shut. Three-point stainless steel bullet latching system makes it work safely every time.

Dim-light-reflective warning labels are highly visible under fire conditions or during power outages when illuminated with a flashlight.

Galvanized steel shelves direct spills to back and bottom of a leakproof 2" (51-mm) bottom sump. They adjust on 2-3/8" (60-mm) centers for versatile storage. Cabinets also feature dual vents with flame arresters, four adjustable self-leveling screws and trilingual warning label. Durable lead-free epoxy/polyester powder-coat finish provides excellent chemical resistance.

All cabinets come with a two-year warranty against manufacturing defects.



TEK610012

## Attributes & Specifications

ATTRIBUTE	SPECIFICATION
Model No. and Color Options:	TEK610012
Material Specifications:	18 Ga CR Steel
Capacity:	12 gallon(s) 45 liter(s)
No. of Doors:	1
Door Type:	Manual
No. of Shelves:	1
Adjustable Shelves:	Yes
Dimensions, Exterior:	23.25" W x 35" H x 18" D 590 W x 890 H x 460 D (mm) D (mm)
Dimensions, Interior:	20.00" W x 30.5" H x 14.56" D 508W x 775 H x 370 D (mm)
Compliance:	OSHA 29 CFR 1910.106 & NFPA

## Safety Cabinet has important functions!

1. to store chemical safely and reduce fire spreading or explosive factors
2. to ensure aid or rescuer time at fire occurrence
3. to make dangerous chemicals more recognizable, stored orderly, and properly-stored(isolation, separated or detached storage)
4. comply with OSHA 29 CFR 1910.106 of American Occupational Safety and Health Administration, NFPA CODE30 of American National Fire Protection Association and Hazardous Chemicals Control Ordinance of State Bureau of Safe Production Supervision and Administration, thus to provide safe storage of flammable liquid and chemicals
5. to improve the availability of chemicals in working place

# 4-gallon Safety Cabinet for Flammable Liquid and Chemicals

## Product Overview

Explosion proof, fire proof, industrial safe storage, chemicals storage.

Industrial safety cabinet is intended to store flammable liquid and some dangerous chemical material and products.

Industrial safety cabinets of different dimensions, which provide safe storage for flammable liquid and chemicals. It features compact size, storing easily flammable liquid and organic solvent, saving much troubles and time spent on the way to retrieve them in dangerous goods room.

Safety Cabinets allow increased access to frequently used liquids, without compromising safety. Portable size keeps work areas flexible. Use optional wall hanger assembly for wall mounting. These cabinets have all the great features and benefits of our classic cabinets as outlined below.

Protect workers, reduce fire risks, and improve productivity by storing flammable fuels and chemicals in code-compliant safety cabinets. Designed to meet OSHA and NFPA standards. Safety cabinets are constructed of sturdy 18-gauge thick double-wall, welded steel with 1-1/2" (38-mm) of insulating air space for fire resistance. High-performance, manual-close doors open to a full 180 degrees and close easily and securely for maximum protection under fire conditions when pushed shut. Three-point stainless steel bullet latching system makes it work safely every time.

Dim-light-reflective warning labels are highly visible under fire conditions or during power outages when illuminated with a flashlight.

Galvanized steel shelves direct spills to back and bottom of a leakproof 2" (51-mm) bottom sump. They adjust on 2-3/8" (60-mm) centers for versatile storage. Cabinets also feature dual vents with flame arresters, four adjustable self-leveling screws and trilingual warning label. Durable lead-free epoxy/polyester powder-coat finish provides excellent chemical resistance.

All cabinets come with a two-year warranty against manufacturing defects.



TEK610004

## Attributes & Specifications

ATTRIBUTE	SPECIFICATION
Model No. and Color Options:	TEK610004
Material Specifications:	18 Ga CR Steel
Capacity:	4 gallon(s) 15 liter(s)
No. of Doors:	1
Door Type:	Manual
No. of Shelves:	1
Adjustable Shelves:	Yes
Dimensions, Exterior:	17" W x 22" H x 17" D 430 W x 560 H x 430 D (mm)
Dimensions, Interior:	13.75" W x 18.5" H x 13.75" D 348 W x 470 H x 348 D (mm)
Compliance:	OSHA 29 CFR 1910.106 & NFPA

## Safety Cabinet has important functions!

1. to store chemical safely and reduce fire spreading or explosive factors
2. to ensure aid or rescuer time at fire occurrence
3. to make dangerous chemicals more recognizable, stored orderly, and properly-stored(isolation, separated or detached storage)
4. comply with OSHA 29 CFR 1910.106 of American Occupational Safety and Health Administration, NFPA CODE30 of American National Fire Protection Association and Hazardous Chemicals Control Ordinance of State Bureau of Safe Production Supervision and Administration, thus to provide safe storage of flammable liquid and chemicals
5. to improve the availability of chemicals in working place

# 110-gallon Safety Cabinet for Flammable Liquid and Chemicals

## Product Overview

Explosion proof, fire proof, industrial safe storage, chemicals storage.

Industrial safety cabinet is intended to store flammable liquid and some dangerous chemical material and products.

Industrial safety cabinets of different dimensions, which provide safe storage for flammable liquid and chemicals. It features compact size, storing easily flammable liquid and organic solvent, saving much troubles and time spent on the way to retrieve them in dangerous goods room.

Safety Cabinets allow increased access to frequently used liquids, without compromising safety. Use optional wall hanger assembly for wall mounting. These cabinets have all the great features and benefits of our classic cabinets as outlined below.

Protect workers, reduce fire risks, and improve productivity by storing flammable fuels and chemicals in code-compliant safety cabinets. Designed to meet OSHA and NFPA standards. Safety cabinets are constructed of sturdy 18-gauge thick double-wall, welded steel with 1-1/2" (38-mm) of insulating air space for fire resistance. High-performance, manual-close doors open to a full 180 degrees and close easily and securely for maximum protection under fire conditions when pushed shut. Three-point stainless steel bullet latching system makes it work safely every time.

Dim-light-reflective warning labels are highly visible under fire conditions or during power outages when illuminated with a flashlight.

Galvanized steel shelves direct spills to back and bottom of a leakproof 2" (51-mm) bottom sump. They adjust on 2-3/8" (60-mm) centers for versatile storage. Cabinets also feature dual vents with flame arresters, four adjustable self-leveling screws and trilingual warning label. Durable lead-free epoxy/polyester powder-coat finish provides excellent chemical resistance.

All cabinets come with a two-year warranty against manufacturing defects.



TEK610110

## Attributes & Specifications

ATTRIBUTE	SPECIFICATION
Model No. and Color Options:	TEK610110
Material Specifications:	18 Ga CR Steel
Capacity:	110 gallon(s) 410 liter(s)
No. of Doors:	2
Door Type:	Manual
No. of Shelves:	2
Adjustable Shelves:	Yes
Dimensions, Exterior:	59" W x 65" H x 33.5" D 1500 W x 1650 H x 860 D (mm)
Dimensions, Interior:	56" W x 60.5" H x 30.34" D 1420 W x 1537 H x 771 D (mm)
Compliance:	OSHA 29 CFR 1910.106 & NFPA

## Safety Cabinet has important functions!

1. to store chemical safely and reduce fire spreading or explosive factors
2. to ensure aid or rescuer time at fire occurrence
3. to make dangerous chemicals more recognizable, stored orderly, and properly-stored(isolation, separated or detached storage)
4. comply with OSHA 29 CFR 1910.106 of American Occupational Safety and Health Administration, NFPA CODE30 of American National Fire Protection Association and Hazardous Chemicals Control Ordinance of State Bureau of Safe Production Supervision and Administration, thus to provide safe storage of flammable liquid and chemicals
5. to improve the availability of chemicals in working place

# 90-gallon Safety Cabinet for Flammable Liquid and Chemicals

## Product Overview

Explosion proof, fire proof, industrial safe storage, chemicals storage.

Industrial safety cabinet is intended to store flammable liquid and some dangerous chemical material and products.

Industrial safety cabinets of different dimensions, which provide safe storage for flammable liquid and chemicals. It features compact size, storing easily flammable liquid and organic solvent, saving much troubles and time spent on the way to retrieve them in dangerous goods room.

Safety Cabinets allow increased access to frequently used liquids, without compromising safety. Use optional wall hanger assembly for wall mounting. These cabinets have all the great features and benefits of our classic cabinets as outlined below.

Protect workers, reduce fire risks, and improve productivity by storing flammable fuels and chemicals in code-compliant safety cabinets. Designed to meet OSHA and NFPA standards. Safety cabinets are constructed of sturdy 18-gauge thick double-wall, welded steel with 1-1/2" (38-mm) of insulating air space for fire resistance. High-performance, manual-close doors open to a full 180 degrees and close easily and securely for maximum protection under fire conditions when pushed shut. Three-point stainless steel bullet latching system makes it work safely every time.

Dim-light-reflective warning labels are highly visible under fire conditions or during power outages when illuminated with a flashlight.

Galvanized steel shelves direct spills to back and bottom of a leakproof 2" (51-mm) bottom sump. They adjust on 2-3/8" (60-mm) centers for versatile storage. Cabinets also feature dual vents with flame arresters, four adjustable self-leveling screws and trilingual warning label. Durable lead-free epoxy/polyester powder-coat finish provides excellent chemical resistance.

All cabinets come with a two-year warranty against manufacturing defects.



TEK610090

## Attributes & Specifications

ATTRIBUTE	SPECIFICATION
<b>Model No. and Color Options:</b>	TEK610090
<b>Material Specifications:</b>	18 Ga CR Steel
<b>Capacity:</b>	90 gallon(s) 340 liter(s)
<b>No. of Doors:</b>	2
<b>Door Type:</b>	Manual
<b>No. of Shelves:</b>	2
<b>Adjustable Shelves:</b>	Yes
<b>Dimensions, Exterior:</b>	43" W x 65" H x 33.5" D 1090 W x 1650 H x 860 D (mm)
<b>Dimensions, Interior:</b>	39" W x 60.5" H x 30.34" D 990 W x 1537 H x 771 D (mm)
<b>Compliance:</b>	OSHA 29 CFR 1910.106 & NFPA

## Safety Cabinet has important functions!

1. to store chemical safely and reduce fire spreading or explosive factors
2. to ensure aid or rescuer time at fire occurrence
3. to make dangerous chemicals more recognizable, stored orderly, and property-stored(isolation, separated or detached storage)
4. comply with OSHA 29 CFR 1910.106 of American Occupational Safety and Health Administration, NFPA CODE30 of American National Fire Protection Association and Hazardous Chemicals Control Ordinance of State Bureau of Safe Production Supervision and Administration, thus to provide safe storage of flammable liquid and chemicals
5. to improve the availability of chemicals in working place

# 60-gallon Safety Cabinet for Flammable Liquid and Chemicals

## Product Overview

Explosion proof, fire proof, industrial safe storage, chemicals storage.

Industrial safety cabinet is intended to store flammable liquid and some dangerous chemical material and products.

Industrial safety cabinets of different dimensions, which provide safe storage for flammable liquid and chemicals. It features compact size, storing easily flammable liquid and organic solvent, saving much troubles and time spent on the way to retrieve them in dangerous goods room.

Safety Cabinets allow increased access to frequently used liquids, without compromising safety. Use optional wall hanger assembly for wall mounting. These cabinets have all the great features and benefits of our classic cabinets as outlined below.

Protect workers, reduce fire risks, and improve productivity by storing flammable fuels and chemicals in code-compliant safety cabinets. Designed to meet OSHA and NFPA standards. Safety cabinets are constructed of sturdy 18-gauge thickness double-wall, welded steel with 1-1/2" (38-mm) of insulating air space for fire resistance. High-performance, manual-close doors open to a full 180 degrees and close easily and securely for maximum protection under fire conditions when pushed shut. Three-point stainless steel bullet latching system makes it work safely every time.

Dim-light-reflective warning labels are highly visible under fire conditions or during power outages when illuminated with a flashlight.

Galvanized steel shelves direct spills to back and bottom of a leakproof 2" (51-mm) bottom sump. They adjust on 2-3/8" (60-mm) centers for versatile storage. Cabinets also feature dual vents with flame arresters, four adjustable self-leveling screws and trilingual warning label. Durable lead-free epoxy/polyester powder-coat finish provides excellent chemical resistance.

All cabinets come with a two-year warranty against manufacturing defects.



TEK610060

## Attributes & Specifications

ATTRIBUTE	SPECIFICATION
<b>Model No. and Color Options:</b>	TEK610060
<b>Material Specifications:</b>	18 Ga. CR Steel
<b>Capacity:</b>	60 gallon(s) 227 liter(s)
<b>No. of Doors:</b>	2
<b>Door Type:</b>	Manual
<b>No. of Shelves:</b>	2
<b>Adjustable Shelves:</b>	Yes
<b>Dimensions, Exterior:</b>	33.5" W x 65" H x 33.5" D 860 W x 1650 H x 860 D (mm)
<b>Dimensions, Interior:</b>	30.75" W x 60.5" H x 30.34" D 781 W x 1537 H x 771 D (mm)
<b>Compliance:</b>	OSHA 29 CFR 1910.106 & NFPA

## Safety Cabinet has important functions!

1. to store chemical safely and reduce fire spreading or explosive factors
2. to ensure aid or rescuer time at fire occurrence
3. to make dangerous chemicals more recognizable, stored orderly, and property-stored(isolation, separated or detached storage)
4. comply with OSHA 29 CFR 1910.106 of American Occupational Safety and Health Administration, NFPA CODE30 of American National Fire Protection Association and Hazardous Chemicals Control Ordinance of State Bureau of Safe Production Supervision and Administration, thus to provide safe storage of flammable liquid and chemicals
5. to improve the availability of chemicals in working place

# 45-gallon Safety Cabinet for Flammable Liquid and Chemicals

## Product Overview

Explosion proof, fire proof, industrial safe storage, chemicals storage.

Industrial safety cabinet is intended to store flammable liquid and some dangerous chemical material and products.

Industrial safety cabinets of different dimensions, which provide safe storage for flammable liquid and chemicals. It features compact size, storing easily flammable liquid and organic solvent, saving much troubles and time spent on the way to retrieve them in dangerous goods room.

Safety Cabinets allow increased access to frequently used liquids, without compromising safety. Use optional wall hanger assembly for wall mounting. These cabinets have all the great features and benefits of our classic cabinets as outlined below.

Protect workers, reduce fire risks, and improve productivity by storing flammable fuels and chemicals in code-compliant safety cabinets. Designed to meet OSHA and NFPA standards. Safety cabinets are constructed of sturdy 18-gauge thick double-wall, welded steel with 1-1/2" (38-mm) of insulating air space for fire resistance. High-performance, manual-close doors open to a full 180 degrees and close easily and securely for maximum protection under fire conditions when pushed shut. Three-point stainless steel bullet latching system makes it work safely every time.

Dim-light-reflective warning labels are highly visible under fire conditions or during power outages when illuminated with a flashlight.

Galvanized steel shelves direct spills to back and bottom of a leakproof 2" (51-mm) bottom sump. They adjust on 2-3/8" (60-mm) centers for versatile storage. Cabinets also feature dual vents with flame arresters, four adjustable self-leveling screws and trilingual warning label. Durable lead-free epoxy/polyester powder-coat finish provides excellent chemical resistance.

All cabinets come with a two-year warranty against manufacturing defects.



TEK610045

## Attributes & Specifications

ATTRIBUTE	SPECIFICATION
Model No. and Color Options:	TEK610045
Material Specifications:	18 Ga CR Steel
Capacity:	45 gallon(s) 170 liter(s)
No. of Doors:	2
Door Type:	Manual
No. of Shelves:	2
Adjustable Shelves:	Yes
Dimensions, Exterior:	43" W x 65" H x 18" D 1090 W x 1650 H x 460D (mm) D (mm)
Dimensions, Interior:	39.5" W x 60.5" H x 14.562" D 1003 W x 1537 H x 370 D (mm)
Compliance:	OSHA 29 CFR 1910.106 & NFPA

## Safety Cabinet has important functions!

1. to store chemical safely and reduce fire spreading or explosive factors
2. to ensure aid or rescuer time at fire occurrence
3. to make dangerous chemicals more recognizable, stored orderly, and property-stored(isolation, separated or detached storage)
4. comply with OSHA 29 CFR 1910.106 of American Occupational Safety and Health Administration, NFPA CODE30 of American National Fire Protection Association and Hazardous Chemicals Control Ordinance of State Bureau of Safe Production Supervision and Administration, thus to provide safe storage of flammable liquid and chemicals
5. to improve the availability of chemicals in working place

# 30-gallon Safety Cabinet for Flammable Liquid and Chemicals

## Product Overview

Explosion proof, fire proof, industrial safe storage, chemicals storage.

Industrial safety cabinet is intended to store flammable liquid and some dangerous chemical material and products.

Industrial safety cabinets of different dimensions, which provide safe storage for flammable liquid and chemicals. It features compact size, storing easily flammable liquid and organic solvent, saving much troubles and time spent on the way to retrieve them in dangerous goods room.

Safety Cabinets allow increased access to frequently used liquids, without compromising safety. Use optional wall hanger assembly for wall mounting. These cabinets have all the great features and benefits of our classic cabinets as outlined below.

Protect workers, reduce fire risks, and improve productivity by storing flammable fuels and chemicals in code-compliant safety cabinets. Designed to meet OSHA and NFPA standards. Safety cabinets are constructed of sturdy 18-gauge thick double-wall, welded steel with 1-1/2" (38-mm) of insulating air space for fire resistance. High-performance, manual-close doors open to a full 180 degrees and close easily and securely for maximum protection under fire conditions when pushed shut. Three-point stainless steel bullet latching system makes it work safely every time.

Dim-light-reflective warning labels are highly visible under fire conditions or during power outages when illuminated with a flashlight.

Galvanized steel shelves direct spills to back and bottom of a leakproof 2" (51-mm) bottom sump. They adjust on 2-3/8" (60-mm) centers for versatile storage. Cabinets also feature dual vents with flame arresters, four adjustable self-leveling screws and trilingual warning label. Durable lead-free epoxy/polyester powder-coat finish provides excellent chemical resistance.

All cabinets come with a two-year warranty against manufacturing defects.



TEK610030

## Attributes & Specifications

ATTRIBUTE	SPECIFICATION
Model No. and Color Options:	TEK610030
Material Specifications:	18 Ga CR Steel
Capacity:	30 gallon(s) 114 liter(s)
No. of Doors:	2
Door Type:	Manual
No. of Shelves:	1
Adjustable Shelves:	Yes
Dimensions, Exterior:	43" W x 44" H x 18" D 1090 W x 1120 H x 460 D (mm)D (mm)
Dimensions, Interior:	39.5" W x 39.625" H x 14.562" D 1003 W x 1006 H x 370 D (mm)
Compliance:	OSHA 29 CFR 1910.106 & NFPA

## Safety Cabinet has important functions!

1. to store chemical safely and reduce fire spreading or explosive factors
2. to ensure aid or rescuer time at fire occurrence
3. to make dangerous chemicals more recognizable, stored orderly, and properly-stored(isolation, separated or detached storage)
4. comply with OSHA 29 CFR 1910.106 of American Occupational Safety and Health Administration, NFPA CODE30 of American National Fire Protection Association and Hazardous Chemicals Control Ordinance of State Bureau of Safe Production Supervision and Administration, thus to provide safe storage of flammable liquid and chemicals
5. to improve the availability of chemicals in working place

# 22-gallon Safety Cabinet for Flammable Liquid and Chemicals

## Product Overview

Explosion proof, fire proof, industrial safe storage, chemicals storage.

Industrial safety cabinet is intended to store flammable liquid and some dangerous chemical material and products.

Industrial safety cabinets of different dimensions, which provide safe storage for flammable liquid and chemicals. It features slim size, ideal for tight floor space, storing easily flammable liquid and organic solvent, saving much troubles and time spent on the way to retrieve them in dangerous goods room.

Safety Cabinets allow increased access to frequently used liquids, without compromising safety. Portable size keeps work areas flexible. Use optional wall hanger assembly for wall mounting. These cabinets have all the great features and benefits of our classic cabinets as outlined below.

Protect workers, reduce fire risks, and improve productivity by storing flammable fuels and chemicals in code-compliant safety cabinets. Designed to meet OSHA and NFPA standards. Safety cabinets are constructed of sturdy 18-gauge thick double-wall, welded steel with 1-1/2" (38-mm) of insulating air space for fire resistance. High-performance, manual-close doors open to a full 180 degrees and close easily and securely for maximum protection under fire conditions when pushed shut. Three-point stainless steel bullet latching system makes it work safely every time.

Dim-light-reflective warning labels are highly visible under fire conditions or during power outages when illuminated with a flashlight.

Galvanized steel shelves direct spills to back and bottom of a leakproof 2" (51-mm) bottom sump. They adjust on 2-3/8" (60-mm) centers for versatile storage. Cabinets also feature dual vents with flame arresters, four adjustable self-leveling screws and trilingual warning label. Durable lead-free epoxy/polyester powder-coat finish provides excellent chemical resistance.

All cabinets come with a two-year warranty against manufacturing defects.



TEK610022

## Attributes & Specifications

ATTRIBUTE	SPECIFICATION
Model No. and Color Options:	TEK610022
Material Specifications:	18 Ga CR Steel
Capacity:	22 gallon(s) 83 liter(s)
No. of Doors:	1
Door Type:	Manual
No. of Shelves:	2
Adjustable Shelves:	Yes
Dimensions, Exterior:	23.25" W x 65" H x 18" D 590 W x 1650 H x 460 D (mm) D (mm)
Dimensions, Interior:	20.00" W x 60.5" H x 14.56" D 508W x 1537 H x 370 D (mm)
Compliance:	OSHA 29 CFR 1910.106 & NFPA

## Safety Cabinet has important functions!

1. to store chemical safely and reduce fire spreading or explosive factors
2. to ensure aid or rescuer time at fire occurrence
3. to make dangerous chemicals more recognizable, stored orderly, and properly-stored(isolation, separated or detached storage)
4. comply with OSHA 29 CFR 1910.106 of American Occupational Safety and Health Administration, NFPA CODE30 of American National Fire Protection Association and Hazardous Chemicals Control Ordinance of State Bureau of Safe Production Supervision and Administration, thus to provide safe storage of flammable liquid and chemicals
5. to improve the availability of chemicals in working place

### Standard Accessories

---



**Steel door hinge**



**Three-point linkage lock**



**Fire and explosion prevention vent**



**Adjustable shelf**



**Leakage proof sump**



**Anti-static clamp**

### Optional Accessories

---



**Self-closing**



**Fusible link**



**Double-keys lock**



**Electronic digital lock**



**Caster wheel**



**Drum roller**



**PP tray**



**MSDS box**